



## Consolidated Alloys

A Division of C.A. Group Australasia Pty. Ltd.  
ABN 83 005 084 097 ACN 005 084 097

Head Office : 32 Industrial Avenue Thomastown, Victoria 3074  
AUSTRALIA  
Mail : PO Box 199, Reservoir, Victoria 3073  
AUSTRALIA  
Telephone : (03) 9359 5811  
Facsimile : (03) 9359 4076  
E-mail : info@cagroup.com.au

Reference No. : S901  
Product Name : Sureform

# MATERIAL SAFETY DATA SHEET

## Section 1 : IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: **SUREFORM**  
Other Names: **Polymer Based Roof Flashing with Adhesive Backing**  
Recommended Use: Used as a roof flashing and for all roof applications.

### Supplier's / Manufacturer's

Name: Consolidated Alloys  
Address: 32 Industrial Avenue, Thomastown, Victoria 3074, AUSTRALIA  
Telephone No.: (03) 9359 5811  
Emergency No.: (03) 9359 5811 – Business Hours only  
0439 062 480 – After Hours (24Hrs)  
Poisons Information Centre  
Victoria  
Telephone No.: 131126

## Section 2 : HAZARD IDENTIFICATION

Hazard Classification according to criteria of Worksafe Australia.

Risk Phrase(s) R42/43 May cause sensitisation by inhalation and skin contact.

Safety Phrase(s) S37/39 Wear suitable gloves and eye/face protection.



## Consolidated Alloys

A Division of C.A. Group Australasia Pty. Ltd.  
ABN 83 005 084 097 ACN 005 084 097

Head Office : 32 Industrial Avenue Thomastown, Victoria 3074  
AUSTRALIA  
Mail : PO Box 199, Reservoir, Victoria 3073  
AUSTRALIA  
Telephone : (03) 9359 5811  
Facsimile : (03) 9359 4076  
E-mail : info@cagroup.com.au

Reference No. : S901  
Product Name : Sureform

# MATERIAL SAFETY DATA SHEET

## Section 3 : COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Entity	Proportion	CAS Number
Aluminium Mesh	20 – 30 %	7429-90-5
Polymer	>60%	N/A
Butyl Adhesive	1 – 2%	N/A

## Section 4 : FIRST AID MEASURES

Description of necessary measures according to route of exposure.

Ingestion:	Due to product form and application, ingestion is considered unlikely. Contact the Poisons Information Centre on 13 11 26 or a doctor.
Eye:	In cases where the molten material comes into contact with the eyes, hold eye(s) open and flush the eye(s) with running water for at least 15 minutes. Make no attempt to remove particles of the substance and seek medical attention to ensure complete removal. In case of irritation caused by fumes, rinse eyes with plenty of cold water.
Skin:	In cases where material in the molten state comes into contact with the skin, cool material as quickly as possible with water and seek medical advice for the removal of the adhered material and treatment of the burn. Remove contaminated clothing and wash skin thoroughly with soap and water. Launder contaminated clothing before re-use.
Inhalation:	Remove the victim from exposure to fresh air. If not breathing, give artificial respiration. If the patient is unconscious or experiencing respiratory problems, dizziness, nausea seek medical attention.
Medical Attention and Special Treatment:	Treat specific symptoms.



## Consolidated Alloys

A Division of C.A. Group Australasia Pty. Ltd.  
ABN 83 005 084 097 ACN 005 084 097

Head Office : 32 Industrial Avenue Thomastown, Victoria 3074  
AUSTRALIA  
Mail : PO Box 199, Reservoir, Victoria 3073  
AUSTRALIA  
Telephone : (03) 9359 5811  
Facsimile : (03) 9359 4076  
E-mail : info@cagroup.com.au

Reference No. : S901  
Product Name : Sureform

# MATERIAL SAFETY DATA SHEET

## Section 5 : FIRE FIGHTING MEASURES

Extinguishing Media: Water spray or fog, Carbon Dioxide, Dry Chemical Powder or Foam.

Fire/Explosion Hazards: The polymer and butyl adhesive will decompose in a fire situation or if heated over 200°C. May emit poisonous fumes. May emit corrosive fumes. Combustion products include: carbon monoxide, carbon dioxide, aldehydes, phosphorus oxides, and sulphur oxides.

Fire Fighting: Fire fighters should wear self contained breathing apparatus (SCBA) and full protective clothing along with protective equipment.

HAZCHEM CODE: None Allocated

## Section 6 : ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Personnel involved in the clean up should wear protective clothing such as dust-proof goggles, gloves, a Class P2 (Particulate) respirator and coveralls.

### Methods and Materials for Containment and Clean Up Procedures

Spillage: Bundle and/or collect recoverable product. Sweep, scoop or pick-up any off cuts and damaged pieces and place in a convenient waste disposal container for safe disposal to an approved landfill.

*For Personal Protective Equipment (PPE) - refer to Section 8 of this MSDS (if required)*



## Consolidated Alloys

A Division of C.A. Group Australasia Pty. Ltd.  
ABN 83 005 084 097 ACN 005 084 097

Head Office : 32 Industrial Avenue Thomastown, Victoria 3074  
AUSTRALIA  
Mail : PO Box 199, Reservoir, Victoria 3073  
AUSTRALIA  
Telephone : (03) 9359 5811  
Facsimile : (03) 9359 4076  
E-mail : info@cagroup.com.au

Reference No. : S901  
Product Name : Sureform

# MATERIAL SAFETY DATA SHEET

## Section 7 : HANDLING AND STORAGE

**Precautions for Safe Handling:** Use safe work practices to avoid eye or skin contact and inhalation. Prohibit eating, drinking and smoking in contaminated areas. Wash hands with soap and water before eating. Since the weight of the rolls vary, you must follow manual handling procedures and use lifting equipment such as forklift trucks where necessary.

**Conditions for Safe Storage:** Store the rolls under cover in a dry, well ventilated area, protected from the sun (temperature ranging between 0°C and 40°C). Keep away from heat sources and physical damage when not in use.

## Section 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

National Exposure Standards – as regulated by: Worksafe Australia

Chemical Name	TLV TWA	MEL - TWA
Rubber Fumes	0.001 mg/m <sup>3</sup>	5 mg/m <sup>3</sup> (paraffinic distillate)
Dust	10 mg/m <sup>3</sup>	

**Biological Limit Values** No data available.

**Engineering Controls:** The application of this product in buildings is carried out in well ventilated areas, hence general and/or local exhaust ventilation must be provided to control airborne dust levels below exposure limits when working in enclosed areas.

### Personal Protective Equipment (PPE)

**Eye / Face Protection:** Wear goggles, safety glasses or full face shield.

**Skin Protection:** Thermal resistant gloves when handling hot materials, coveralls and safety boots.

**Respiratory Protection:** Under dusty conditions, use a NIOSH/MSHA approved dust respirator with an AP filter to be worn to avoid exposure by inhalation.



## Consolidated Alloys

A Division of C.A. Group Australasia Pty. Ltd.  
ABN 83 005 084 097 ACN 005 084 097

Head Office : 32 Industrial Avenue Thomastown, Victoria 3074  
AUSTRALIA  
Mail : PO Box 199, Reservoir, Victoria 3073  
AUSTRALIA  
Telephone : (03) 9359 5811  
Facsimile : (03) 9359 4076  
E-mail : info@cagroup.com.au

Reference No. : S901  
Product Name : Sureform

# MATERIAL SAFETY DATA SHEET

## Section 9 : PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Polymer Roll Material.
Colour:	Lead Grey, Charcoal, Terracotta
Odour:	Rubber
Vapour Pressure:	N/A
Vapour Density:	N/A
Boiling Point:	N/A
Melting Point:	N/A
Solubility in Water:	Immiscible
Specific Gravity:	N/A
Flash Point:	N/A
pH:	N/A

### *For Flammable Limits (as a percentage volume in air)*

Lower Explosion Limit :	N/A
Upper Explosion Limit :	N/A
Ignition Temperature:	N/A
Specific Heat Value :	N/A
Particle Size:	N/A
Volatile Organic Compounds (VOC) Content	N/A
Evaporation Rate :	N/A
Viscosity :	N/A
Percent Volatile :	N/A
Octanol/Water partition coefficient :	N/A
Saturated Vapour Concentration :	N/A
Additional Characteristics	N/A
Flame Propagation/Burning Rate of Solid Materials :	N/A
Properties of material that may initiate or contribute to fire intensity :	N/A
Potential for Dust Explosion :	N/A
Reactions that Release Flammable Gases :	N/A
Fast or Intensely Burning Characteristics :	N/A
Non-Flammables that could contribute unusual hazards to a fire :	N/A
Release of invisible flammable vapour and gases :	Nil
Decomposition Temperature :	N/A



## Consolidated Alloys

A Division of C.A. Group Australasia Pty. Ltd.  
ABN 83 005 084 097 ACN 005 084 097

Head Office : 32 Industrial Avenue Thomastown, Victoria 3074  
AUSTRALIA  
Mail : PO Box 199, Reservoir, Victoria 3073  
AUSTRALIA  
Telephone : (03) 9359 5811  
Facsimile : (03) 9359 4076  
E-mail : info@cagroup.com.au

Reference No. : S901  
Product Name : Sureform

# MATERIAL SAFETY DATA SHEET

## Section 10 : STABILITY AND REACTIVITY

Chemical Stability:	The product is stable.
Conditions to Avoid:	Avoid extreme heat. Avoid heating beyond limit temperatures.
Incompatible Materials:	Avoid contamination with oxidising agents e.g. nitrates, oxidising acids, chlorine bleaches, pool chlorine.
Hazardous Decomposition Products:	The polymer will decompose in a fire situation or
Hazardous Reactions:	Hazardous polymerisation will not occur.

## Section 11 : TOXICOLOGICAL INFORMATION

Toxicity Data:	The product is based on thermoplastic polymers. It constitutes no type of danger. When molten, the polymer compound can cause scalding. Improper use during the application of the product, without regard for the precautions listed in section 7 and 8, may result in irritation to the eyes, respiratory tract and to the skin.
Ingestion:	No toxic effects anticipated. Unlikely to occur due to product form, but if large piece is swallowed seek medical attention to prevent internal injury or choking.
Eye:	If small fragment enters the eye may cause discomfort and abrasion. Flush gently with an eye bath. If irritation persists seek medical attention.
Skin:	Skin contact may result in mechanical injury or abrasion. Thermal burns may occur from exposure to hot material.
Inhalation:	Not normally a hazard due to the non-volatile nature of the product. Inhalation of vapour is more likely at higher than normal temperatures. Repeated exposure of vapours may result in irritation to the upper respiratory tract and lungs.



## Consolidated Alloys

A Division of C.A. Group Australasia Pty. Ltd.  
ABN 83 005 084 097 ACN 005 084 097

Head Office : 32 Industrial Avenue Thomastown, Victoria 3074  
AUSTRALIA  
Mail : PO Box 199, Reservoir, Victoria 3073  
AUSTRALIA  
Telephone : (03) 9359 5811  
Facsimile : (03) 9359 4076  
E-mail : info@cagroup.com.au

Reference No. : S901  
Product Name : Sureform

# MATERIAL SAFETY DATA SHEET

## Section 12 : ECOLOGICAL INFORMATION

Ecotoxicity:	Ensure appropriate measures are taken to prevent this product from entering the environment.
Persistence / Degradability:	No data available.
Mobility:	No data available.
Environmental Fate:	Avoid release into the environment by adopting sound work practices.
Bioaccumulative Potential :	No data available.

## Section 13 : DISPOSAL CONSIDERATIONS

Disposal Methods:	Place in containers and dispose of to an approved landfill.
Special Precautions for Landfill or Incineration:	Dispose of in accordance with all Local, State and Federal regulations at an approved waste disposal facility.

*The Disposal Considerations mentioned above applies to the material / product described in this MSDS as manufactured. Further processing, use, or contamination of the product may make the information inappropriate, inaccurate or incomplete.*

## Section 14 : TRANSPORT INFORMATION

UN Number:	None Allocated
UN Shipping Name:	N/A
Dangerous Goods Class:	None Allocated
Packing Group:	None Allocated
Special Precautions / Requirement:	N/A
HAZCHEM Code:	None Allocated

Additional Information – Material for Export:	N/A
--	-----



## Consolidated Alloys

A Division of C.A. Group Australasia Pty. Ltd.  
ABN 83 005 084 097 ACN 005 084 097

Head Office : 32 Industrial Avenue Thomastown, Victoria 3074  
AUSTRALIA  
Mail : PO Box 199, Reservoir, Victoria 3073  
AUSTRALIA  
Telephone : (03) 9359 5811  
Facsimile : (03) 9359 4076  
E-mail : info@cagroup.com.au

Reference No. : S901  
Product Name : Sureform

# MATERIAL SAFETY DATA SHEET

## Section 15 : REGULATORY INFORMATION

Poison Schedule Number:	None Allocated
EPG :	N/A
AICS Name :	N/A
NZ Toxic Substance	N/A

## Section 16 : OTHER INFORMATION

Last Revision: 15/12/2010

THIS MATERIAL SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION AND INVESTIGATION. CONSOLIDATED ALLOYS PROVIDES NO WARRANTIES, EITHER EXPRESSED OR IMPLIED AND ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE DATA CONTAINED HEREIN. MATERIAL USE IS BEYOND THE CONTROL OF SUPPLIER.

----- End of MSDS -----